Section 1: Product Identifier and Chemical Identity

Product Identifier	
Product Name:	Phosphate test kit
Product Codes:	ENV2.30
Other means of identification:	
External product name and code/s:	HI3833
Manufacturer:	
Hanna Instruments SRL	Str. Hanna Nr 1, 457260 loc. Nusfalau Romania Email: msds@hanna.ro
Suppliers name, address and phone number	
Suppliers Name:	Southern Biological
Suppliers ABN:	94 630 703 810
Suppliers Address:	1/44 Rushdale Street Knoxfield Victoria 3180 Australia
Suppliers Phone No.:	1300 138 561
Suppliers Fax No.:	+613 9753 3896
Emergency Phone number (BH)	1300 138 561



Revision nr.2 Dated 11/05/2020 Printed on 11/05/2020 Page n. 1 / 10 Replaced revision:1 (Dated 31/01/2018)

HI3833-0 - Phosphate Reagent

		Safety Data S	Sheet
		According to Annex II to REACH - R	egulation 2015/830
SECTION 1. Identifi	cation of the s	ubstance/mixture and of	the company/undertaking
1.1. Product identifier			
Code Product name		HI3833-0 Phosphate Reagent	
.2. Relevant identified us	es of the substance	or mixture and uses advised again	st
Intended use		Determination of Phosphoru	s in Water Samples.
.3. Details of the supplier	of the safety data s	heet	
Name Full address District and Country e-mail address of the con responsible for the Safety		Hanna Instruments S.R.L. str. Hanna Nr 1 457260 loc. Nusfalau Romania Tel. +40 260607700 Fax +40 260607700 msds@hanna.ro	(Salaj)
.4. Emergency telephone	number	-	
For urgent inquiries refer		Emergency Number - Interna CHEMTREC 24 hours/365 da	ational: +1 7035273887 - UK, London: +44 8708200418 - ys
amendments and suppler 2015/830.	as hazardous pursuar nents). The product tl	nt to the provisions set forth in (EC) Rennus requires a safety datasheet that co	egulation 1272/2008 (CLP) (and subsequent omplies with the provisions of (EU) Regulation given in sections 11 and 12 of this sheet.
Hazard classification and			
Acute toxicity, categor Skin corrosion, catego Serious eye damage,	ory 1A	H331 H314 H318	Toxic if inhaled. Causes severe skin burns and eye damage. Causes serious eye damage.
2.2. Label elements			
Hazard labelling pursuant	t to EC Regulation 12	72/2008 (CLP) and subsequent amen	dments and supplements.
Hazard pictograms:			
Signal words:	Danger		
Hazard statements: H331 H314 EUH071	Toxic if inhaled. Causes severe skir Corrosive to the res	n burns and eye damage.	

Precautionary statements:

P260 P280 Do not breathe dust, fume, gas, mist, vapours, spray. Wear protective gloves / protective clothing / eye protection / face protection.

@EPY 9.11.0 - SDS 1004.13

ΕN

HI3833-0 - Phosphate Reagent

Revision nr.2 Dated 11/05/2020 Printed on 11/05/2020 Page n. 2 / 10 Replaced revision:1 (Dated 31/01/2018)

SECTION 2. Hazards identification .../>>

P303+P361+P353 P305+P351+P338 P310	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Contains:	POTASSIUM DISULFATE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

 Identification
 x = Conc. %
 Classification 1272/2008 (CLP)

 POTASSIUM DISULFATE CAS
 7790-62-7
 $50 \le x < 100$ Acute Tox. 3 H331, Skin Corr. 1A H314, Eye Dam. 1 H318, EUH071

 EC
 232-216-8 INDEX
 O1-2119987095-26
 Acute Tox. 3 H331, Skin Corr. 1A H314, Eye Dam. 1 H318, EUH071

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

POTASSIUM DISULFATE Irritation and corrosion, Cough, Shortness of breath. Risk of blindness!.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

HI3833-0 - Phosphate Reagent

ΕN

SECTION 5. Firefighting measures ... / >>

POTASSIUM DISULFATE

Not combustible. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: Sulphur oxides.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany): 6.1A

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

HI3833-0 - Phosphate Reagent

SECTION 8. Exposure controls/personal protection ... / >>

Revision nr.2 Dated 11/05/2020

Printed on 11/05/2020 Page n. 4 / 10 Replaced revision:1 (Dated 31/01/2018)

		POTASSI	UM DISULFAT	E			
centration	- PNEC						
water					0,68	mg/l	
e water					0,068	mg/l	
n water sedi	iment				2,5	mg/kg/d	
ne water se	ediment				0,25	mg/kg/d	
r, intermitte	ent release				6,8	mg/l	
microorgan	isms				800	mg/l	
errestrial co	ompartment				0,092	mg/kg/d	
ect level - D	NEL / DMEL						
Effects or	n consumers			Effects on v	vorkers		
Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
local	systemic	local	systemic	local	systemic	local	systemic
						0,13 mg/m3	0,13 mg/m3
	water ne water sed ne water sed er, intermitte microorgan errestrial co ect level - C Effects o Acute	e water h water sediment ne water sediment or, intermittent release microorganisms errestrial compartment ect level - DNEL / DMEL Effects on consumers Acute Acute	centration - PNEC water water sediment ne water sediment ne water sediment er, intermittent release microorganisms errestrial compartment ect level - DNEL / DMEL Effects on consumers Acute Acute	centration - PNEC water water sediment n water sediment ne water sediment r, intermittent release microorganisms errestrial compartment act level - DNEL / DMEL Effects on consumers Acute Acute Chronic Chronic	water te water the water sediment the water sediment ter, intermittent release microorganisms terrestrial compartment ter level - DNEL / DMEL Effects on consumers Acute Acute Acute Chronic Chronic Acute	centration - PNEC 0,68 water 0,068 ne water sediment 2,5 ne water sediment 0,25 ne water sediment 6,8 microorganisms 800 errestrial compartment 0,092 ct level - DNEL / DMEL Effects on workers Effects on consumers Effects on workers Acute Chronic Acute Acute	centration - PNEC 0,68 mg/l water 0,068 mg/l ne water sediment 2,5 mg/kg/d ne water sediment 0,25 mg/kg/d ne water sediment 0,092 mg/kg/d errestrial compartment 0,092 mg/kg/d ect level - DNEL / DMEL Effects on workers Effects on workers Acute Acute Chronic Acute Acute Chronic local systemic local systemic local 0,13

SODIUM MOLYBDATE

Predicted no-effect con	centration	- PNEC						
Normal value in fresh	water					27,25	mg/l	
Normal value in marin	e water					4,87	mg/l	
Normal value for fresh	n water sedir	ment				48500	mg/kg/d	
Normal value for mari	ne water see	diment				5058	mg/kg/d	
Normal value of STP	microorganis	sms				46,57	mg/l	
Normal value for the t	errestrial co	mpartment				20,39	mg/kg/d	
Health - Derived no-effe	ect level - D	NEL / DMEL						
	Effects on	consumers			Effects on v	workers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation							VND	23,97 mg/m3

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance Information

ΕN

HI3833-0 - Phosphate Reagent

SECTION 9. Physical and chemical properties .../>>

9.2. Other information

Total solids (250°C / 482°F)

100,00 %

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The powders are potentially explosive when mixed with air.

10.4. Conditions to avoid

Avoid environmental dust build-up.

POTASSIUM DISULFATE Exposure to moisture.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Revision nr.2 Dated 11/05/2020 Printed on 11/05/2020 Page n. 5 / 10 Replaced revision:1 (Dated 31/01/2018)

HI3833-0 - Phosphate Reagent

SECTION 11. Toxicological information .../>>

Revision nr.2 Dated 11/05/2020 Printed on 11/05/2020 Page n. 6 / 10 Replaced revision:1 (Dated 31/01/2018)

POTASSIUM DISULFATE

Acute inhalation toxicity, absorption, Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages, damage of respiratory tract, Lung oedema, Symptoms may be delayed - Skin irritation (in analogy to similar products), Causes severe burns. - Eye irritation (in analogy to similar products), Causes serious eye damage. Risk of blindness!

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: LD50 (Oral) of the mixture: LD50 (Dermal) of the mixture:

Corrosive to the respiratory tract.

POTASSIUM DISULFATE LD50 (Oral) LC50 (Inhalation)

SKIN CORROSION / IRRITATION

Corrosive for the skin

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

0,9 mg/l Not classified (no significant component) Not classified (no significant component)

2140 mg/kg Rat

0,85 mg/l/4h Rat

HI3833-0 - Phosphate Reagent

Revision nr.2 Dated 11/05/2020 Printed on 11/05/2020 Page n. 7 / 10 Replaced revision:1 (Dated 31/01/2018)

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

POTASSIUM DISULFATE LC50 - for Fish EC50 - for Crustacea

680 mg/l/96h Pimephales promelas 720 mg/l/48h Daphnia magna

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

ADR / RID, IMDG, IATA: 2923

14.2. UN proper shipping name

ADR / RID:	CORROSIVE SOLID, TOXIC, N.O.S. (POTASSIUM DISULFATE) MIXTURE
IMDG:	CORROSIVE SOLID, TOXIC, N.O.S. (POTASSIUM DISULFATE) MIXTURE
IATA:	CORROSIVE SOLID, TOXIC, N.O.S. (POTASSIUM DISULFATE) MIXTURE

Hanna Instruments S.R.L. HI3833-0 - Phosphate Reagent

Revision nr.2 Dated 11/05/2020 Printed on 11/05/2020 Page n. 8 / 10 Replaced revision:1 (Dated 31/01/2018)

SECTION 14. Transport information ... / >>

14.3. Transport hazard class(es)

ADR / RID:	Class: 8	Label: 8 (6.1)	
IMDG:	Class: 8	Label: 8 (6.1)	
IATA:	Class: 8	Label: 8 (6.1)	



14.4. Packing group

ADR / RID, IMDG, IATA: II

14.5. Environmental hazards

ADR / RID: NO IMDG: NO IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 86 Limited Quantities: 1 kg Tunnel restriction code: (E) Special Provision: -IMDG: EMS: F-A, S-B Limited Quantities: 1 kg Packaging instructions: 863 IATA: Cargo: Maximum quantity: 50 Kg Pass.: Maximum quantity: 15 Kg Packaging instructions: 859 Special Instructions: A3, A803

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 None

H2

Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention:

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

HI3833-0 - Phosphate Reagent

Revision nr.2 Dated 11/05/2020 Printed on 11/05/2020 Page n. 9 / 10 Replaced revision:1 (Dated 31/01/2018)

SECTION 15. Regulatory information ... / >>

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Skin Corr. 1A	Skin corrosion, category 1A
Eye Dam. 1	Serious eye damage, category 1
H331	Toxic if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
EUH071	Corrosive to the respiratory tract.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)

- The Merck Index. - 10th Edition

- Handling Chemical Safety

HI3833-0 - Phosphate Reagent

SECTION 16. Other information ... / >>

- INRS Fiche Toxicologique (toxicological sheet)- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12.

The data for evaluation of chemical-physical properties are reported in section 9.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 09 / 11 / 15 / 16.